

UBC COMMISSION

ARCHITECTURAL ADVISORY COMMITTEE
STRUCTURAL ADVISORY COMMITTEE
UNIFIED CODE ANALYSIS COUNCIL

Room 341
January 10, 2005 12:00
Sandy City Hall
10000 Centennial Parkway Sandy UT

MINUTES

STAFF

Dan S Jones, Bureau Manager
Sharon Smalley, Board Secretary

MEMBERS

ARCHITECTURAL ADVISORY COMMITTEE

Scott Adams	William West
Jack Robertson, Liaison (absent)	Gregory Allen
Cary Campbell	Kent Holman (excused)
Michael Martin	Steve Froebe (absent)

STRUCTURAL ADVISORY COMMITTEE

Brent Maxfield	Justin Naser
Dave Pierson, Liaison	Richard von Weller
Richard Jaffa	Don Barker
Stephen Cohen	Bruce Palmer

UNIFIED CODE ANALYSIS COUNCIL

Scott Marsell	Boyd Johnson
Dennis Strong (absent)	Richard Lyman, Liaison
Brent Halladay (absent)	Ray Harris (excused)
Mike Pederson	William Bonn
Ed Domian	Frank Romano (excused)
Michael Vela (absent)	Gilbert Gonzales, Liaison

VISITORS

Ron Ivie, Park City	Enzo Calfa, DFCM
Roger Evans, Park City	

MINUTES

The minutes from the August 11, 2004
Architectural Advisory Committee meeting
were approved as written.

The minutes from the September 7, 2004 Structural Advisory Committee meeting were approved as written.

The minutes from the September 7, 2004 Unified Code Analysis Council meeting were approved as written.

OTHER BUSINESS

Richard Lyman informed the committee that his position with the Fire Marshal's Association as representative for the Unified Code Analysis Council will now be filled by Bret Larson. Mr. Larson will need to submit a resume in order to fill the position on this committee. Boyd Johnson will get in touch with Mr. Larson and ask him to submit the resume to the Division.

Mike Pederson reported to the committees that the Labor Commission - Safety Division will be adopting the ASME A17.1 2004 (the governing code for elevators and escalators) and ASME A18.1 2003 (the governing code for wheelchair lifts and platform lifts).

REVIEW OF PRESENT AMENDMENT FOR IBC SECTION 1621.1.4

All three committees reviewed the present amendment. Following the discussion, motions were made and seconded by all three committees to continue with the amendment as has been adopted and to include an additional amendment to Section 2506.2.1 that would reference Section 1621.1.4, and that if any changes were to be made to the 2" wall angle, they should be handled as a separate matter.

The Architectural Advisory Committee voted unanimously to pass the motion.

The Structural Advisory Committee voted seven in favor and Richard Jaffa voting in opposition.

The Unified Code Analysis Council voted unanimously to pass the motion.

Boyd Johnson asked Dan Jones and the

Commission to try and find a way to get the information on the various changes to the codes out to the public. Gilbert Gonzales informed the committees that he has drawn up a synopsis of the code changes to give to all of the chapters to place on their websites.

The meeting adjourned at 1:10.