

UNIFORM BUILDING CODE COMMISSION  
STRUCTURAL ADVISORY COMMITTEE  
160 East 300 South Heber M Wells Building  
Room 474 12:00  
July 6, 2006

MINUTES

STAFF:

F David Stanley, Associate Director  
Dan S Jones, Bureau Manager  
Sharon Smalley, Board Secretary

COMMITTEE MEMBERS:

Justin Naser	David Alter (excused)
Dave Pierson, Commission Liaison (excused)	Stephen Cohen
Richard Lewis	Don Barker
Bruce Palmer	Anne vonWeller

VISITORS:

Richard Jaffa

ADMINISTER THE OATH OF OFFICE

Anne vonWeller and Richard Lewis were sworn in as new members of this committee.

MINUTES

The minutes from the June 15, 2006 meeting were approved as written.

GENERAL DISCUSSION OF AND ACTION ON THE 2006 IBC, IRC, AND ALL EXISTING AMENDMENTS

The committee reviewed the structural amendments individually. Following a discussion on each amendment, motions were made, seconded, and unanimously passed to recommend to the Commission the following:

(37) - (42), (44), and (49) Don Barker passed out his recommendations for these sections. The recommendation is to keep as modified.

Bruce Palmer gave his recommendations that he is proposing for the current structural amendments to R156-56-711.

(11) delete

(13) concur with the recommendation from the Architectural Committee to delete and file as a separate rule filing

(18) – keep

- (19) – keep as modified with the language drafted by Anne vonWeller so the amendment will correspond to the language in the amendment for the IBC
- (20) – keep as modified with the language drafted by Anne vonWeller so the amendment will correspond to the language in the amendment for the IBC
- (22) deferred to the Architectural Committee
- (27) delete the current amendment and amend section P2801.7 with the following: In section 2801.7 the word townhouses is deleted.

Table 1805.5(5) – keep as modified Ann will draft the language for Section R404.4.6 as this table is also applicable to the IRC.

Stephen Cohen will check the NDS reference used in section 2306.1.5 and a change will be made as needed.

A recommendation was made to change the order of the listings under R156-56-701(2) to list them in the order they are used.

- (33) add the following wording at the end of Exception 2 “For the purpose of this section, snow load shall be assumed uniform on the roof footprint without including the effects of drift or sliding. The importance factor, I, used in calculating  $P_f$  may be considered 1.0 for use in the formula for  $W_s$ .”

- (60) keep as modified

Stephen Cohen proposed a new amendment for the 2006 IEBC for section 606.2.2. It has the same wording as the modified amendment in the IBC for section 3403.2.4.

Stephen Cohen introduced a new proposed amendment for an exception number 5 to be added to section 1609.1.1.

The meeting adjourned at 1:50.