

UNIFORM BUILDING CODE COMMISSION
UNIFIED CODE ANALYSIS COUNCIL
&
STRUCTURAL ADVISORY COMMITTEE
10000 CENTENNIAL PARKWAY SANDY UT
ROOM 220 9:00 AM
September 7, 2004

MINUTES

STAFF:

Dan S Jones, Bureau Manager
Sharon Smalley, Board Secretary

COMMITTEE MEMBERS:

UNIFIED CODE ANALYSIS COUNCIL

Scott Marsell

Boyd Johnson

Richard Lyman

Ray Harris

William Bonn

Mike Pederson (absent)

Dennis Strong

Brent Halladay

Ed Domian (excused)

Frank Romano (absent)

Michael Vela (absent)

STRUCTURAL ADVISORY COMMITTEE

Brent Maxfield, Chair

Dave Pierson, Commission Liaison (excused)

Richard Jaffa (excused)

Stephen Cohen (absent)

Justin Naser

Richard von Weller

Don Barker

Bruce Palmer (excused)

VISITORS:

Gilbert Gonzales, Murray City

Roger Evans, Park City

MINUTES

The minutes from the Structural Advisory Committee's August 9, 2004 meeting were approved as written.

The minutes from the Unified Code Analysis Council's August 3, 2004 meeting were approved as written.

REVIEW PROPOSED AMENDMENT FOR
SECTION 1621.1.4 ARCHITECTURAL,
MECHANICAL, AND ELECTRICAL
COMPONENT SEISMIC DESIGN

Both committees discussed the proposed amendment. Gilbert Gonzales spoke to those present in opposition of the proposal.

Roger Evans spoke to those present for the

proposal.

Following a discussion by all present, several motions were made to amend the proposal which were not approved.

A motion was made to amend proposed amendment as follows:

A new section 1621.1.4 is added as follows: ASCE 7, Section 9.6.2.6.2.2 paragraph (e) is modified to read as follows:

Penetrations shall have a sleeve or adapter through the ceiling tile to allow for free movement of at least 1 inch (25 mm) in all horizontal directions.

Exceptions:

1. Where rigid braces are used to limit lateral deflections.
2. At fire sprinkler heads in frangible surfaces per NFPA 13.

The Unified Code Analysis Council voted unanimously to forward the amended proposal to the Commission with a favorable recommendation.

The Structural Advisory Committed voted unanimously to forward the amended proposal to the Commission with a favorable recommendation.

Following the final vote, Brent Maxfield pointed out that since a new section was being added, Section 1621.1 also needed to be amended by adding Section 1621.1.4 to the requirements. A motion unanimously passed by both committees to forward a favorable recommendation to the Commission.

At this point, the Structural Advisory Committee adjourned.

REVIEW PRESENT AMENDMENT TO THE
IRC SECTION R313.2

Roger Evans spoke to the committee on behalf of the proposal to change the present amendment. Those present reviewed the

proposal. Following the discussion, a motion passed to approve the proposal as written with a vote of six in favor and Boyd Johnson voting in opposition.

The meeting adjourned at 10:45.